

# WATERPROOFING RANGE

Restec's waterproofing range delivers innovative, proven solutions with unmatched durability and reliability. Backed by industry-leading support, our products ensure lasting protection in the toughest conditions, setting new standards for flat roofing.

**FLEXITEC**

**GRP**ROOF

**ACRYL**TEX

# GRP<sup>®</sup>ROOF

## Sustainable high-performance GRP

Sustainable GRP system containing recycled PET, with the equivalent of **206 recycled plastic bottles in every 20kg** of GRP<sup>®</sup>ROOF Base Resin. Specially formulated roofing system that offers a durable and eco-friendly waterproofing solution for flat roofs and balconies. GRP<sup>®</sup>ROOF is backed by a 20 -Year materials guarantee, versatile for use on a range of complex roof details and can withstand foot traffic as standard. Our **new improved technology** supports sustainable building practices by reducing plastic waste.

- ✓ Engineered to deliver optimum roofing performance.
- ✓ Can achieve B<sub>ROOF</sub>(t4) Fire Rating for unrestricted use.
- ✓ 20 - Year material guarantee.
- ✓ Enhanced inter-coat adhesion and excellent bonding characteristics to OSB3 and OSB3 Zero.
- ✓ Accelerates wetting out of CSM, leading to faster installation times.
- ✓ Reduced sanding required between coats due to improved matte finish.



### GRP<sup>®</sup>ROOF BASE RESIN

PACK	COVERAGE	CODE
20kg	16m <sup>2</sup>	160102
10kg	8m <sup>2</sup>	160101

### GRP<sup>®</sup>ROOF TOP COAT

PACK	COVERAGE	CODE
20kg	30m <sup>2</sup>	160104
10kg	15m <sup>2</sup>	160103



FIND  
OUT  
MORE



DOWNLOAD  
APPLICATION  
MANUAL



# CORE COMPONENTS

## LIQUID CATALYST

Added to **GRPROOF** Resin to Initiate curing process.

PACK	CODE
5kg	102006
1kg	102005



## CATALYST DISPENSER

PACK	CODE
80ml	109102



## 450G/M<sup>2</sup> CSM

Chopped strand mat reinforcement to be embedded in the first coat.

PACK	COVERAGE	CODE
Bulk pack	77m <sup>2</sup>	104306
30m <sup>2</sup>	28.8m <sup>2</sup>	104303
15m <sup>2</sup>	14.4m <sup>2</sup>	104302



## 600G/M<sup>2</sup> CSM

Chopped strand mat reinforcement to be embedded in the first coat.

PACK	COVERAGE	CODE
Bulk pack	58m <sup>2</sup>	104313
30m <sup>2</sup>	28.8m <sup>2</sup>	104312
15m <sup>2</sup>	14.4m <sup>2</sup>	104311



## GRPROOF 10M<sup>2</sup> ROOF KIT

PACK
Base Resin 14kg
Top Coat 7kg
Liquid Catalyst 1kg
450G/M <sup>2</sup> CSM
Taping Mat
Finishing Tissue
CODE
101160



# EXTRA COMPONENTS

## SLATE CHIPPINGS

PACK	COLOUR	CODE
15kg	Blue mineral	109049
15kg	Green mineral	109046



## TAPING MAT

Used for trim joints and other details work in the Base Coat of the system.

PACK	AMOUNT	CODE
6 rolls	Small 16LM	104005
6 rolls	Large 110LM	104004



# SEASONAL ADDITIVES

## GRPROOF BASE RESIN WINTER ACCELERATORS

Low temperature additive to allow in installations down to 1°C.

PACK	COVERAGE	CODE
Resin	1 pot per 10kg	160111



## GRPROOF TOP RESIN WINTER ACCELERATORS

Low temperature additive to allow in installations down to 1°C.

PACK	COVERAGE	CODE
Resin	1 pot per 10kg	160112



## FINISHING TISSUE

PACK	CODE
25LM	107042



## ACETONE

PACK	CODE
1Ltr	109026
5Ltr	109106





# RESTRIMS

## Premium GRP roof trims and accessories


The **RESTRIMS** range is a complete set of superior preformed GRP edge trims and accessories, including through wall outlets and pipe collars for detailing roofs and balconies.

Unlike many other trims in the market, **RESTRIMS** are made to be durable, tough and are designed to create a perfect detailing finish, as an integral part of the **GRPROOF** System and compatible systems within Restec's waterproofing and Platinum range.

- ✓ Darker colour for improved top coat coverage.
- ✓ Restec logo and trim codes printed directly onto the trims for easy identification.
- ✓ Robust build that is resistant to damage.
- ✓ Creates a neat, streamlined edge detail for any roof or balcony.
- ✓ Can be used for decorative finishes such as lead roll effect.
- ✓ Easy to install with consistent jointing.
- ✓ Unique pre-formed GRP accessories - Providing an easy solution for tricky details.



FIND  
OUT  
MORE



EDGE & DETAILING TRIMS

TYPE	(PACK OF 10) PACK SIZE	LENGTH	CODE	
DRIP A170	65MM	3M	157001	
DRIP A200	85MM	3M	157002	
UPSTAND FASCIA B230	100MM	3M	157003	
UPSTAND FASCIA B260	120MM	3M	157004	
WALL FILLET D260		3M	157005	
LONG LEG WALL FILLET D300		3M	157123	
COVERING FLASHING C100		3M	157009	
EXPANSION E280		3M	157117	
FLAT SHEET F300	300MM	3M	157122	
FLAT SHEET - ROLL F300	300MM	20M	157107	
FLAT SHEET - ROLL F300	300MM	10M	157108	
SHORT INTERNAL ANGLE AT195INT		3M	157008	
SHORT EXTERNAL ANGLE AT195EXT		3M	157007	
LONG INTERNAL ANGLE AT220INT		3M	157120	
LONG EXTERNAL ANGLE AT275EXT		3M	157121	
LEAD ROLL ER35/40		3M	157130	
STANDING SEAM ER15		3M	157131	

EDGE & DETAILING TRIMS

TYPE	PACK SIZE	LENGTH	CODE	
THROUGH WALL OUTLET	150mmx150mm	600mm	157067	
THROUGH WALL OUTLET	100mmx100mm	600mm	157068	
PIPE COLLAR	110mm		155069	
FLAT ROOF OUTLET	110mm		155070	
CORNER C1 - Universal External corner			157109	
EXTERNAL C3 - For use with Wall Fillet D260			157132	
INTERNAL C3 - For use with Wall Fillet D260			157133	

EDGE & DETAILING TRIMS

TYPE	PACK SIZE	CODE	
TRIM ADHESIVE	Box of 12	109207	

# FLEXITEC

## Multi-surface GRP roofing system

**FLEXITEC** is a flexible, single-resin GRP system with full overlay and new deck waterproofing capabilities.

Combining the best elements of conventional fibreglass-reinforced with the versatility of overlay no other system performs at this level, across so many applications.



### FLEXITEC RESIN

Main liquid component used for both the base & top coats.

PACK	COVERAGE	CODE
20kg	7.4-10.6m <sup>2</sup>	162003
10kg	3.7-5.3m <sup>2</sup>	162002

- ✓ Highly versatile & capable of coating virtually all common surfaces.
- ✓ Ideal combination of flexibility and toughness.
- ✓ Rapid installations, only 30-60 mins cure time per coat.
- ✓ Can achieve Broof(t4) Fire Rating for unrestricted use.
- ✓ 20 - Year material guarantee accessible to trained installers.



FIND  
OUT  
MORE



DOWNLOAD  
APPLICATION  
MANUAL



## CORE COMPONENTS

### FLEXITEC PRIMER

A universal primer for most surfaces including felt, asphalt, and concrete.

PACK	AMOUNT	CODE
5kg	17-26m <sup>2</sup>	158105



### 225G/M<sup>2</sup> CSM

Chopped strand mat reinforcement to be embedded in the first coat.

PACK	COVERAGE	CODE
Bulk pack	111m <sup>2</sup>	104111
30m <sup>2</sup>	28.8m <sup>2</sup>	104322
15m <sup>2</sup>	14.4m <sup>2</sup>	104321



### POWDER HARDENER

Added to **FLEXITEC** Resin & Primer to initiate curing process.

PACK	AMOUNT	CODE
1kg	60-80 scoops	102013



### FLEXITEC DETAILER

A flexible, fibre-reinforced resin for use on roof detailing, inaccessible areas, levelling & minor repairs.

PACK	AMOUNT	CODE
5kg	2-3m <sup>2</sup>	162011



### FLEXITEC 10M<sup>2</sup> ROOF KIT

#### PACK CONTAINS

**FLEXITEC** Resin 20kg  
**FLEXITEC** Primer 2.5kg  
 Powder Hardener 1kg  
 225G/M<sup>2</sup> CSM  
 2 x 50mm Paint Brushes  
 Restec Mixing Bucket

CODE	101162
------	--------



## PRIMERS

### METAL DETAILING PRIMER

A single pack, fast drying metal primer in a resealable 250ml tin.

PACK	AMOUNT	CODE
6x250ml	10-30m <sup>2</sup> per box	122067



### SP PRIMER

A moisture curing primer for PVC, TPO & EPDM single ply.

PACK	AMOUNT	CODE
1Ltr	12-15m <sup>2</sup>	122006



### ACETONE

Used for cleaning tools & as a pre-surface treatment for some substrates.

PACK	CODE
1Ltr	109126
5Ltr	109106



## SEASONAL ADDITIVES

### FLEXITEC WINTER ACCELERATORS

Low temperature additive to allow in installations down to 1°C.

PACK	COVERAGE	CODE
Resin	1 pot per 10kg	162005
Primer	1 pot per 5kg	158106



### FLEXITEC SUMMER INHIBITORS

High temperature additive to allow in installations up to 30°C.


PACK	COVERAGE	CODE
Resin	1 pot per 10kg	162013





## FLEXITEC SUBSTRATE Substrate Reckoner

Depending on the type, roughness and porosity of the surface to be coated, the priming requirements and amount of material required can vary. The table below outlines suitable substrates, primers and typical coverage rates.



\*Adhesion tests maybe required for certain substrates to confirm preparation & priming requirements. All coverage rates are indicative only and subject to confirmation on the project site.

### ADHESION TEST KIT

CODE

109129

A complete kit designed to carry out adhesion tests and confirm substrate suitability.



# APPLICATION TOOLS

## MIXING BUCKET

The Restec mixing bucket helps you quickly and easily measure out your catalyst for the all systems in our range.



PACK	CODE
10ltr	109195

## TOOLING KIT

PACK CONTAINS	CODE
Application rollers, paddle rollers, brushes and more.	109163



## PUSH FIT ROLLER FRAME

AMOUNT	CODE
100mm (4")	109180
175mm (7")	109182
250mm (10")	109184



## PADDLE ROLLER

PACK	CODE
75mm	109013
150mm	109014
225mm x 21mm	109120
225mm x 45mm	109121



## BLUE STRIPE ROLLER SLEEVE

AMOUNT	CODE
100mm (4")	109181
175mm (7")	109183
250mm (10")	109185



## INFRA-RED 'LASER' THERMOMETER

PACK	CODE
Single unit	109099



## PAIL OPENER

PACK	CODE
Single unit	109242



## PRO EXTENDABLE POLE WITH SCREW FIT HEAD



PACK	CODE
1.2 - 2.4m (4-8") inc. push-fit adaptor	109186

## DETAILING BRUSHES (PACKS OF 12)


PACK	CODE
25mm	109024
50mm	109023



## SELF ADHESIVE PRODUCTS

### SA CARRIER LAYER

A 2mm bituminous membrane that can be applied to tissue-faced insulation.



PACK	COVERAGE	CODE
15m <sup>2</sup>	13.8m <sup>2</sup>	107117

### SA PRIMER (ROLLER APPLIED)

A pre-installation surface treatment for self-adhesive membranes. No hardener required.



PACK	CODE
10ltr	107113

# ACRYLTEX

## One coat roof repair system with fibers

**ACRYLTEX** is an advanced acrylic containing fibres for extra strength and durability. Ideal for carrying out fast repairs to flat roofs, pitched roofs or gutters and suitable for a wide range of surfaces.



- ✓ Waterproofs instantly.
- ✓ Only one coat needed for fast repairs.
- ✓ Ready to use straight out of the tin - no catalysing or mixing components required.
- ✓ Contains fibres that provide extra strength for the coating and interlace to cover small gaps.
- ✓ Ideal for maintenance work.
- ✓ Rainfall after application has no adverse effect.



## ACRYLTEX

PACK	COLOUR	CODE
5kg	Storm Grey	168001
20kg	Storm Grey	168002
5kg	Black	168003
20kg	Black	168004

Black

Storm Grey

FIND  
OUT  
MORE



DOWNLOAD  
APPLICATION  
MANUAL



# #TRAINRESTEC

## Your Day with the Experts...

Restec offers regular training days held at our stockists' branches that provide the key information you need to make the most of each installation. Carried out by one of Restec's experienced installers, you will learn best-practice installation and application techniques, including one-to-one guidance.

- ✔ Upon completion, you will be a Restec-certified installer.
- ✔ Unlock your 20-year guarantee.
- ✔ Tips from the experts on how to install our liquid roofing systems to maximise the quality of your installation.
- ✔ Speak to your local merchant to find out your next Restec Training Day.



## RESTEC REWARDS



FIND OUT MORE

Unlock your Restec Rewards account and earn **RESPOINTS** to redeem on a choice of amazing prizes!



## RESTIPS

We're committed to helping our trained contractors so we've created **#RESTIPS**, your go-to source for top tips and best practices on installing and using our Restec products.



Elevate your roofing game with Restec's **BBA Platinum Range** and discover more possibilities!



# RESTEC

roofing systems

Restec Ltd, Furness House, Castle Park Industrial Estate, Flint,  
Flintshire, CH6 5XA, UNITED KINGDOM

Further information is available at  
**[www.restecroofing.co.uk](http://www.restecroofing.co.uk)** or call us on **01352 748 610**



ENVIRONMENTAL  
MANAGEMENT



QUALITY  
MANAGEMENT



PART OF  
**Roberts  
Group**

Follow us @restecroofing

